

I CLAIM:

1. A camera accessory case adapted to be mounted on a camera connecting plate of a camera stand, said camera accessory case comprising:

5 a casing body having a bottom wall and a peripheral wall extending upwardly from a periphery of said bottom wall, said bottom wall and said peripheral wall cooperating to confine an accessory receiving space that has a top opening, said casing body having a casing axis
10 transverse to said bottom wall; and

 an anchoring unit having a plate connecting portion adapted to be mounted fixedly on the camera connecting plate, and a casing connecting portion connected pivotally to said plate connecting portion and further
15 connected to said peripheral wall of said casing body such that the casing axis can be disposed in an upright position even when the camera connecting plate is tilted.

2. The camera accessory case as claimed in Claim 1, wherein said anchoring unit includes an anchoring frame
20 which serves as said casing connecting portion, said anchoring frame including a first arm connected pivotally to said plate connecting portion, and second and third arms which extend transversely from opposite ends of said first arm and which are connected to said
25 peripheral wall of said casing body.

3. The camera accessory case as claimed in Claim 2, wherein said second and third arms are connected

pivotally to said peripheral wall adjacent to said top opening of said accessory receiving space.

4. The camera accessory case as claimed in Claim 2, wherein said first arm has a middle segment connected
5 pivotally to said plate connecting portion.

5. The camera accessory case as claimed in Claim 2, wherein said bottom wall of said casing body is rectangular, and said peripheral wall includes a left upright wall portion, a right upright wall portion, a
10 front upright wall portion and a rear upright wall portion,

said second and third arms being connected pivotally and respectively to said front and rear upright wall portions,

15 said first arm being disposed adjacent to one of said left and right upright wall portions.

6. The camera accessory case as claimed in Claim 5, wherein said anchoring unit further includes a releasable locking member for arresting selectively
20 pivoting movement of one of said second and third arms relative to said peripheral wall of said casing body.

7. The camera accessory case as claimed in Claim 2, wherein said anchoring unit further includes first and second anchoring plates that constitute said plate
25 connecting portion,

said first anchoring plate extending in a longitudinal direction and having a first end that is

adapted to be mounted fixedly on the camera connecting plate, and a second end opposite to said first end in the longitudinal direction,

5 said second anchoring plate having a first plate end connected to said second end of said first anchoring plate, and a second plate end connected pivotally to said first arm.

8. The camera accessory case as claimed in Claim 7, wherein said second plate end is spaced apart from said
10 first plate end along a transverse direction that is transverse to the longitudinal direction.

9. The camera accessory case as claimed in Claim 7, wherein said anchoring unit further includes a
15 releasable fastening unit for interconnecting releasably and non-rotatably said first plate end of said second anchoring plate and said second end of said first anchoring plate.

10. The camera accessory case as claimed in Claim 5, further comprising a lid for covering said top opening
20 of said accessory receiving space, and a hinge for interconnecting pivotally said lid and the other one of said left and right upright wall portions.

11. The camera accessory case as claimed in Claim 10, wherein said lid has a flat surface that faces upwardly
25 when said lid is pivoted to an uncovering position, said hinge including first and second hinge leaves connected respectively to said lid and said peripheral wall of

said casing body, and a hinge pin interconnecting said first and second hinge leaves, said first and second hinge leaves cooperating to support said lid at the uncovering position.